

QUALE LAMA PER QUALE MATERIALE?

WHICH SAW BLADES FOR WHICH MATERIAL ?

730 =DIA

MATERIALE MATERIAL		LAME CON OTTIMA FINITURA BLADES WITH VERY GOOD FINISHING	LAME CON BUONA FINITURA BLADES WITH GOOD FINISHING
LEGNO NATURALE NATURAL WOOD	VELOCITA' PERIFERICA CUTTING SPEED M/SEC 60-90	TENERO LONGITUDINALE SOFT LONGITUDINAL 233-235-236-237-243-257-258-268-269	230
		TENERO TRASVERSALE SOFT TRANSVERSAL 237-243-257-258-268-269	234-235-236-238
	50-85	DURO LONGITUDINALE HARD LONGITUDINAL 235-236-237-243-257-258-268-269	230-233-238 730
		DURO TRASVERSALE HARD TRANSVERSAL 237-243-268	234-235-236-238-269 730
	50-85	ESOTICO LONGITUDINALE EXOTIC LONGITUDINAL 238-269 730	233-235-257-258-268
		ESOTICO TRASVERSALE EXOTIC TRANSVERSAL 237-238 730	236-268-269
	70-100	IMPIALLACCIATO LONGIT. VENEER LONGITUDINAL 241S-242-244-269	268 730
		IMPIALLACCIATO TRASV. VENEER TRANSVERSAL 244	237-241S-242-268-269 730
LEGNO PRESSATO TREATED WOOD	M/SEC 50-80 40-70	COMPENSATO PLYWOOD 238-240-240/1-244-251S 730	236-237-241S-242-248
		TRUCIOLARE COMPRESSED WOOD 241S-242-243-251S 730	235-236-237-238-240-242-250S
PANNELLI BOARDS MATERIALS	CUTTING SPEED M/SEC 40-80 60-90 20-50 50-70 40-60	LISTELLARI BLOCKBOARDS 241S-242-248-249-251S 730	237-244-250S
		IMPIALLACCIATI BOARDS VENEERS ON BOTH SIDES 244-248-249-251S	241S-242-250S 730
		FIBRA DURA HARD BOARD M.D. 241S-242-248-249-251S	244-250S 730
		FIBRA TENERA SOFT BOARD 241S-242-248-249-251S	244-250S
		RIVESTIMENTO PLASTICO PLASTIC LAMIN. CHIPBOARD 244-248-249 730	241S-242-251S
		RIVESTIMENTO PLASTICO HIGH PRESSURE LAMINATED CHIPBOARD 244-248-249	241S-242-251S
PANNELLI PLASTICI PLASTIC PANELS	M/SEC 15-50 30-60 40-60	TERMOPLASTICI SOLID TERMOPLASTICS 244	238-240-241S-242 730
		DUROPLASTICI SOLID DUROPLASTICS 240/1-244-251S	238-240-241S-242 730
		CON LEGANTE IN PLASTICA CONCRETE BOUNDED CHIPBOARD	(240-241S-242)
METALLI NON FERROSI NON FERROUS METALS	M/SEC 40-70	PROFILATI IN ALLUMINIO ALLUMINIUM PROFILES 252-253	254-255 730
		ALLUMINO ALLUMINIUM 254-255	252-253 730
		LEGHE D'ALLUMINIO LIGHT ALLOYS 254-255	252-253 730
METALLI FERROSI FERROUS METALS	M/SEC 15-50	PROFILATI PROFIL 242C	